




house-makeover.com

ECOLOGICAL VENEER LAMINATES CLPL




MATTE WHITE




WHITE TEXTURE H.



PERFECT OAK



NAVONA OAK V.




NAVONA OAK H.



LJUBLJANA OAK V.




LJUBLJANA OAK H.



ROMANTIC WALNUT V.



ROMANTIC WALNUT H.




WALNUT




ASIA WALNUT



ARENA OAK



PINSTRIPED OAK



NASSER ASH



SILVER GRAY

ECOLOGICAL VENEER LAMINATES CLPL



CENERE OAK



LEAD CEMENT

POLYPROPYLENE LAMINATES




NATURAL VERADE OAK



Light Grey Pecan



Nordic Blue Premier Matte



SAP




Snow White Premier Matte



Hybrid Premier Matte



Clay Premier Matte



Dark Blue Premier Matte


GENERAL LAMINATES / PROJECTS



ICE OAK



WHITE ROSEWOOD



Norway Gray



Grey Oak



SCOTCH H.



TOBACCO ASH



WENGUE




GOLDEN OAK



SILVER AMARI



NAVY BLUE



MATTE GRAY



TAUPE



TAUPE TEXTILE



MATTE LEAD GRAY



LEAD GRAY TEXTILE

GENERAL LAMINATES / PROJECTS



PAFICIC OAK



VERADE OAK



SCANDINAVIAN GRAY

1. MDF FRAME





- Moisture-resistant MDF
- Sizes of 8 cm, 12 cm
- High-quality imported laminate
- Optional weatherstrip

2. MOLDINGS (JAMB)

- Moisture-resistant MDF
- Sizes of 6 cm x 6 cm, 8 cm x 6 cm, 10 cm x 6 cm
- High-quality imported laminate

EXTENSIONS (OPTIONAL)

- Moisture-resistant MDF
- High-quality imported laminate



1. LVL Frame





- **LVL Wood** (material composed of wood veneers aligned in the direction of the fiber).
- Measurements of 8 cm, 12 cm.
- High-quality imported lamination.
- Optional thickness.

2. LVL Moldings (Jamb)

- LVL Wood (material composed of wood veneers aligned in the direction of the fiber).
- Measurements of 6 cm, 8 cm, 10 cm, and 6 cm.
- High-quality imported lamination.

3. LVL Extensions (Optional)

- LVL Wood (material composed of wood veneers aligned in the direction of the fiber).
- High-quality imported lamination.





WPC FRAME

Combination of natural wood fibers with polymers (recycled or virgin plastics)


Specifications:

- 100% water-resistant.
- 100% resistant to termites.
- 100% eco-friendly (made with recycled materials).
- Ignition resistant (does not catch fire; does not propagate flames).
- Lightweight and easy to transport and install (no need to invest in sophisticated tools for installation; traditional carpentry tools can be used).
- High-quality imported laminate.



BASEBOARD

- Water-resistant MDF.
- Laminated with high-quality imported material.
- Dimensions: 10 cm high x 240 cm wide x 12 mm thick.



DOOR FILLING

1. TUBULAR FILLING

- Protection against fire for 30 minutes.
- Water-resistant.
- Properties of acoustic and thermal insulation.
- Solid perimeter frame material LVL.

2. HONEYCOMB FILLING

- Corrugated cardboard with 26 layers.
- Properties moderate acoustic and thermal insulation.
- Solid perimeter frame material LVL.
- Lightweight and easy to install.





PLAIN DOORS

Basic Model Door


- Available in all laminates (limited to the width of each laminate).
- Frame, adjusted to technical specifications.
- Mouldings (both sides), adjusted to technical specifications.
- Model available in all fillings.



WALL EDGE DOOR

ALUMINUM EDGE PROFILE:

- Available in all laminates (limited to the width of each laminate).
- Model available in Sauerland filling.



Edge Profile Wall





DOOR EDGE WALL
EDGE PVC


DOOR EDGE WALL

PVC EDGE:

- Available in the following laminates (limited to the width of each laminate):
- Model available in Sauerland filling.





Walnut





Ash Oak




Sand Oak



Ljubljana Oak V/H




Navona Oak V/H



Matte White




Matte Gray




TAUPE



TAUPE TEXTILE



Lead Gray



GRIS PLOMO TEXTILE



SWING DOORS

Pivoting Door

- Available in laminated mediums (limited to the width of each laminate).
- Minimum hydrophobic frame of 120 cm, minimum wall of 14 cm, adjusted to technical specifications.

Specifications:

- Molds (jambs), adjusted to technical specifications.
- Strip of steel over doors of 10mm (to cover the union of the laminate).

Colors:

- Satin silver
- Satin black
- Satin gold

Model available in Sauerland filling.



Door with Glass

DOOR WITH GLASS


- Available in all laminates (limited to the width of each laminate).
- Frame adjusted to technical specifications.
- Moldings (jambs), adjusted to technical specifications.
- Threshold molding 4.5cm.
- 6mm glass.
- Overlay frame (optional).
- Available in stainless steel and black colors.
- Model available in all fillings.

DOUBLE LEAF DOOR

Available in all laminates except for wood grain laminates

- Horizontal (limited to the width of each laminate).
- Frame, adjusted to technical specifications.
- Moldings (jambs), adjusted to technical specifications.
- Model available in Saurerland filling.

DOUBLE LEAF DOOR WITH OVERLAP



DOUBLE DOOR WITH OVERLAP

Door with Details

- Available in all laminated widths (limited to the width of each laminate).
- Frame adjusted to technical specifications.
- Moldings (both), adjusted to technical specifications.
- Aluminium grill on top.
- 10mm steel strip in colors: satin nickel / black satin / satin gold.
- Model available in all fillings.



MODEL 2U



MODEL 2V



MODEL 4H



MODEL 2H



MODEL GRILLED

Louver Doors

- Available in all laminates. (Limited to the width of each laminate).
- Frame adjusted to technical specifications.
- Molding (both), adjusted to technical specifications.
- Louvers with $\frac{3}{4}$ thickness integrated into the leaf.




MODEL LOUVER

Panel Wood Assembled Doors

- Available only in laminated finishes or with texture. (Limited to the width of each laminate).
- Frame, adjusted to technical specifications.
- Moldings (jambs), adjusted to technical specifications.




CLÁSICO 2 PANELS




CLÁSICO 1 PANEL

DOORS ASSEMBLED WITH GLASS

- Available only in laminated wood with a smooth or textured finish (limited to the width of each laminate).
- Frame, adjusted to technical specifications.
- Moldings (jambs), adjusted to technical specifications.
- Laminated or tempered glass.
- Maximum height of the door: 2.20m.




Classic 1 Glass



Classic 4 Glass

Sliding Doors

- Available in all laminated finishes. (Limited to the width of each laminate).
- Frame (optional), adjusted to technical specifications.
- Moldings / jambs (optional), adjusted to technical specifications.
- Models available in all openings.



Concealed Sliding Door




Grain-type Sliding Door



Magic 2-type Sliding Door

MULTIDIRECTIONAL LAMINATED DOORS

- Available in Navona oak V/H, Ljubljana oak V/H, and Romantic walnut V/H (limited to the width of each laminate).
- Frame adjusted to technical specifications.
- Moldings (jambs), adjusted to technical specifications.
- Model available in Sauerland filling.



Model Velure



Model Avento



Model Vox

